

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the application.

Listing of Claims

1-2. (Canceled)

3. (Currently amended) A method for performing multilingual translation through a communication network ~~according to claim 1,~~ performing and providing a translation in many languages requested, said method comprising:

a step of receiving language data of a subject of translation,

a step of changing its processing form adaptively to a language of the subject of translation requested,

a step of automatically selecting language data for translation,

a step of performing translation,

a step of entering the translated data into a multilingual processing database,

a step of automatically changing the processing form of translation adaptively to a language after translation, and

a step of enabling a requester side to receive the translated data,

wherein said step of automatically selecting language data for translation generates language data, and image data being non-language data, in master contents by means of a template.

4. (Currently amended) A method for performing multilingual translation through a communication network according to claim 3, wherein said ~~method converting~~ language data contained in said image data is converted from a text form into a binary form ~~and for~~ replacing the text-form data with the binary-form data.

5. (Currently amended) A method for performing multilingual translation through a communication network according to claim ~~1~~ 3, wherein said step of performing translation is at least one of an automatic machine translation ~~and/or~~ a manual input translation.

6. (Currently amended) A method for performing multilingual translation through a communication network according to claim ~~1~~ 3, wherein said ~~method giving~~ a page source language record and a text source language record as contents information for processing each page are given in said multilingual processing database.

7. (Currently amended) A method for performing multilingual translation through a communication network according to claim 6, wherein said page source language record comprises~~+~~:

a page ID ~~(page identification)~~: a symbol number being unique to each page,

a language ID: a symbol number defined for each language,

a page address: URL of a home page,

a date of generation: a date at which the page was generated,

a generator ID: a symbol number of a person who newly generated the page,

a date of update: a date at which the page was updated last,

an updater ID: a symbol number of a person who updated ~~it~~ the page last,

a customer ID: a symbol number assigned to each customer, ~~and~~

a received order ID: a symbol number determined on reception of an order, and

HTML: a page source text in the form of HTML.

8. (Currently amended) A method for performing multilingual translation through a communication network according to claim 6, wherein said text source language record comprises~~+~~:

a text ID ~~(text identification)~~: a symbol number which is unique to each text and is the same in any language,

a language ID: a symbol number defined for each language,

~~the~~ maximum number of characters: ~~the~~ maximum number of characters capable of being displayed,

~~the~~ number of characters: ~~the~~ number of characters actually displayed,

a character string: a character string in itself, and

a translator ID: a symbol number determined for each translator.

9. (Currently amended) A method for performing multilingual translation through a communication network according to claim 6, further comprising steps of said method determining in advance ~~the~~ a ratio of ~~the~~ number of ~~the~~ smallest legible font characters to ~~the~~ number of characters being displayed on ~~the~~ a screen for each language, and associating ~~the~~ maximum number of characters of a

text data record with a symbol number defined for each language by means of this ratio.

10. (Currently amended) A method for performing multilingual translation through a communication network according to claim 8, further comprising a step of ~~said method~~ obtaining the number of characters in a language after translation on the basis of a table storing in advance ~~the~~ a ratio of change in number of characters in a language before translation and in a language after translation.

11. (Currently amended) A method for performing multilingual translation through a communication network according to claim 8, further comprising steps of ~~said method~~ setting a storage area adaptively to said maximum number of characters, judging whether or not characters of a language after translation can be accommodated in the storage area of the maximum number of characters in comparison with the number of characters of the language before translation through computing the number of characters after translation and, in case that the maximum number of characters after translation can be accommodated in the storage area, performing the translation, and in case that the maximum number of characters cannot be accommodated in the storage area, reducing the number of characters of the language before translation so as not to change the meaning.

12. (Currently amended) A method for performing multilingual translation through a communication network according to claim ~~2~~ 3, wherein:

said Web site ~~consisting of~~ comprising one apparatus and one translation processing system performs a multilingual translation

process and its maintenance process and as said multilingual translation process, generates master contents by means of a template,

next translates language data of the master contents,

repeats these generation and translation processes,

stores the language data together with control information into a multilingual processing database,

further converts the language data into HTML data and writes them into the master contents on request, and

as said maintenance process, monitors change of the master contents,

automatically selects a language data file needing to be translated,

translates the language data,

repeats these monitor, automatic selection and translation processes for necessary languages, and

reenters the translated language data into the multilingual processing database.

13-19. (Canceled)

20. (Currently amended) An information recording medium according to ~~claim 19~~, storing a program for enabling a substantial computer to control:

a process of receiving language data of a subject of translation through a communication network,

a process of changing its processing form adaptively to a language of the subject of translation requested,

a process of automatically selecting language data for translation,

a process of performing a translation transferred through the communication network,

a process of entering the translated data into a multilingual processing database,

a process of automatically changing its translation processing form adaptively to the language after translation, and

a process of enabling a requester side to receive the translated data through the communication network,

said medium further storing ~~in it~~ a program for enabling a substantial computer to control at least one of:

a process of generating language data, and image data being non-language data, by means of a template,

a process of converting language data contained in image data from a text form into a binary form and replacing the text-form data with the binary-form data,

a process of giving a page record and a text record as contents information for processing each page in a multilingual processing database, and

a process of judging whether or not characters to be obtained after translation can be accommodated in a storage area of the maximum number of characters through computing the number of characters after translation relative to the number of characters of a language before translation.

21. (New) A multilingual translation system for receiving a translation request of a subject written in one language into other multiple languages and for providing translations of the subject via a communication network (1), comprising

a translation requester apparatus (4) for transmitting the translation request via the communication network (1), a multilingual translation Web site apparatus (2) for receiving the translation request and intermediate for the translation, and a plurality of translator apparatuses (3) for translating the subject into the other languages,

wherein the multilingual translation Web site apparatus (2) comprises:

means for converting the subject into an HTML data format and for storing the HTML data together with page source language records and text source language records assigned to the subject as master contents in a database (17);

means for extracting automatically plural parts of text to be translated and excepting non-language parts in the master contents of the subject stored in the database (17);

means for transmitting the plural parts of the text together with the page source language records and text source language records to a plurality of the translator apparatuses (3);

means for receiving translated text of the subject from a plurality of the translator apparatuses (3) and for assembling the translated text of the subject into translation results for each language and storing them as multilingual contents in the data base (17) according to the page source language records and text source language records assigned to the subject; and

means for providing the multilingual contents to the translation requester apparatus (4).

22. (New) A multilingual translation system according to claim 21, wherein the page source language record comprises at least:

- a page ID: a unique code number to each page of the text,
- a language ID: a unique code number defined for each language,
- a page address: URL of a home page,
- a date of translation request: the date of the text generated,
- a translation requester ID: a unique code number assigned to each requester,
- a received order ID: a unique code number determined on reception of an order, and
- HTML data: a page source text in the HTML form.

23. (New) A multilingual translation system according to claim 22, wherein the text source language record comprises at least:

- a text ID: a unique code number assigned to each text,
- a language ID: a symbol number defined for each language,
- a maximum number of characters: the maximum number of characters capable of being displayed,
- a number of characters: number of actual characters,
- a string of characters: a character string in itself, and
- a translator ID: a unique code number assigned to each translator.

24. (New) A multilingual translation system according to claim 23, wherein the means for extracting automatically plural parts of text

includes template means for selecting image data containing language data, image data containing no language data, and text data, respectively.

25. (New) A multilingual translation system according to claim 24, wherein the multilingual translation Web site apparatus (2) further includes means for machine-translating un-translated parts extracted from the multilingual contents stored in the data base (17).

26. (New) A multilingual translation system according to claim 23, wherein the means for extracting automatically plural parts of text determines in advance a ratio of the number of smallest legible font characters to be displayed on a screen of the multilingual translation Web site, and associates a maximum number of characters of the text data in accordance with the ratio for each language.

27. (New) A multilingual translation system according to claim 23, wherein the multilingual translation Web site apparatus (2) provides the multilingual contents to the translation requester apparatus (4) by means of an electronic mail or the Web site accessibly open to the translation requester apparatus (4) via the communication network (1).

28. (New) A multilingual translation system according to claim 27, wherein the multilingual translation Web site apparatus (2) permits an access to the Web site from the translation requester apparatus (4) by checking an ID code and a password of the translation requester apparatus (4).

29. (New) A multilingual translation system according to claim 21, wherein the multilingual translation Web site apparatus (2) further includes a net-bank apparatus (5) to perform a settlement of translation fees between the multilingual translation Web site apparatus (2) and the translation requester apparatus (4).

30. (New) A multilingual translation system according to claim 21, wherein the communication network (1) is selected from the group consisting of a public wire communication network, a public radio communication network, a non-public wire communication network, and a non-public radio communication network under a TCP/IP environment.